

[2nd November 1962]

THE HON. SRI M. BHAKTAVATSALAM : The Report is under consideration of Government. A copy will be placed on the table of the House as soon as Government completes its examination of the report.

குடிநீர் திட்டம் (புளியங்குடி)

* 1164 கேள்வி.—திரு வெ. கிருஷ்ணமூர்த்தி : கனம் சுகாதார அமைச்சர் தயவுசெய்து கீழ்க்கண்ட கேள்விகளுக்குப் பதிலளிப்பாரா—

(அ) புளியங்குடியில் தண்ணீர் தட்டுப்பாடு இருப்பது அரசாங்கத்திற்குத் தெரியுமா?

(இ) ஆமெனில் அதனைத் தீர்க்க என்ன நடவடிக்கை எடுக்கப்பட்டது?

கனம் திருமதி ஜோதி வெங்கடாசலம் : (அ) ஆம், ஐயா.

(இ) சங்கரன்கோயில், புளியங்குடி இன்னும் சில பஞ்சாயத்துக்களுக்கும் சேர்த்து தண்ணீர் சப்ளை திட்டம் ஒன்றை 1961 மார்ச் மாதத்தில் அரசாங்கம் அனுமதித்தது. புளியங்குடிக்கு குழாய்கள் போடுவது சம்பந்தமாக அடிசனல் சீப் என்ஜினியரிடமிருந்து வந்துள்ள எஸ்டிமேட்டிற்கு அனுமதியளிக்கும் விஷயம் அரசாங்கத்தின் பரிசீலனையில் இருந்து வருகிறது.

கல்லூரிகளில் தமிழ் போதனை மொழி

* 1165 கேள்வி.—திரு க. ர. நல்லசிவம் : கனம் நிதி அமைச்சர் தயவுசெய்து கீழ்க்கண்ட கேள்விகளுக்கு பதிலளிப்பாரா—

(அ) தமிழைப் போதனை மொழியாகக் கொண்ட கல்லூரிகளின் ஆசிரியர்கட்கு விசேட தமிழ்ப்பயிற்சி வருடா வருடம் கொடுக்கப்படுகிறதா?

(இ) அவர்களது போதனா முறை எப்படியுள்ளதென்று பரிசீலிக்கப்பட்டதா? விவரமென்ன?

THE HON. SRI M. BHAKTAVATSALAM : (a) Special orientation courses for the subjects taught in Tamil medium were conducted in May 1960 to May 1961.

(b) The teaching methods of the lecturers has also been referred to by the Evaluation Committee whose report has been placed on the table of the House.

Koothangal Channel (Paramakudi taluk)

* 1166 Q.—SRI C. SRINIVASAN : Will the Hon. the Minister for Agriculture be pleased to state the steps taken to repair the Koothangal Channel in Paramakudi taluk, Ramanathapuram district?

THE HON. SRI P. KAKKAN : An estimate for carrying out special repairs to Koothangal channel in Paramakudi and Mudukulathur taluks at an estimated cost of Rs. 12 lakhs has been

2nd November 1962]

prepared by the Superintending Engineer (Food Production) and it is under consideration of the Board of Revenue (Food production).

சென்னையில் 'பறக்கும் பாதை' அமைத்தல்

* 1167 கேள்வி.—திரு ஆ. கு. சுப்பையா : கனம் முதல் அமைச்சர் தயவுசெய்து கீழ்க்கண்ட கேள்விக்குப் பதிலளிப்பாரா—

சென்னை மவுண்ட் ரோட்டில் போக்குவரத்து நெரிசலை தவிர்க்க பறக்கும் பாதை அமைக்க உத்தேசம் உண்டா?

THE HON. SRI M. BHAKTAVATSALAM : There is no intention to provide a fly-over lane on Mount Road for the present.

Village Officers

* 1168 Q.—SRI R. S. VEERAPPA CHETTIAR : Will the Hon. the Minister for Works be pleased to state whether the amount paid to the village establishment as remuneration is treated as pay or honorarium?

THE HON. SRI V. RAMAIAH : The remuneration paid to village officers is treated as pay and allowances.

* 1169 Q.—SRI R. S. VEERAPPA CHETTIAR : Will the Hon. the Minister for Works be pleased to state—

(a) whether there are any women working as Village Munsifs; and

(b) if not, whether there is any proposal to appoint women as Village Munsifs if they possess the required qualifications?

THE HON. SRI V. RAMAIAH : (a) Yes, Sir. There are women working as Village Headmen in the districts of Madurai, Chingleput and North Arcot.

(b) Does not arise.

புலிப்பட்டு ஏரி (புதுப்பித்தல்)

* 1170 கேள்வி.—திரு கு. கோபால கவுண்டர் : கனம் விவசாய அமைச்சர் தயவுசெய்து கீழ்க்கண்ட கேள்விகளுக்குப் பதிலளிப்பாரா—

(அ) செஞ்சி தாலுகா புலிப்பட்டு ஏரியை அபிவிருத்தி செய்யும் திட்டம் அரசாங்கத்திற்கு மறுபரிசீலனைக்கு வந்துள்ளதா?

(இ) எப்பொழுது அவ்வேலை துவக்கப்படும்?

கனம் திரு பூ. கக்கன் : (அ) & (இ) ரூபாய் ஒரு லட்சத்துக்குக் குறைவாக செலவாகும் சிறிய பாசனத் திட்டங்களைப் பொதுவாக அரசினரின் அனுமதிக்காக அனுப்ப வேண்டியதில்லை. புலிப்பட்டு ஏரிக்கு மராமத்துக்கள் செய்வதற்கென சூப்பிரன்டென்டிங் என்ஜினியர் ரூபாய் 99,000க்குத் திருத்த மதிப்பீடு ஒன்றைத் தயாரித்துள்ளார். அதற்குக் கலெக்டரின் சம்மதத்தைப் பெற்று